


## First Team

### Hurricane System

**First Team**



Hurricane Systems - Complete base and board padding, 96" base to board extension, 42x72x1/2" regulation tempered glass backboard, 180deg full tilt breakaway rim.

We can also letter the padding down the front for free.

- Includes base and board padding, any color
- Rim height adjusts for smaller players
- Safety padding covers front, side and rear of base unit
- All steel components are powder coated to protect against the elements
- Rear hold downs are included as required by the NCAA and NHSF for competition portable goals
- 8" non-marking casters lock into position for play
- 5" non-marking footers lock system into place
- Compact and easy to roll
- Adjustable overhang extension
- Post to backboard extension is 96" at 10'
- Ballast not included. Recommended 1100 lbs.

The Hurricane competition style portable basketball goal is designed for fieldhouse, gymnasium and upper-end recreational or church use.

The Hurricane's massive extension arm features an upper and lower boom support. The extension distance from base to backboard is 96" meeting all NCAA and National High School Federation requirements. The unit comes equipped with First Team's top of the line FT235

Unbreakable 42"x72" competition tempered glass backboard, FT196 Full-Tilt™ 180° breakaway goal and FT72C TuffGuard™ bolt-on backboard padding. These are the same components used in high schools and colleges throughout the country.

The Hurricane is also height adjustable. Rim height adjustments from 10' down to 6' are made easily with its "Spring-Aided" design. To adjust, simply pull the pin located on the adjustment rod, raise or lower the unit as needed and replace the pin. One person can easily roll the unit into place and set up quickly and easily.

Heavy foam padding, available in an array of colors, protects players on the front, sides and back of the base. The unit is extremely stable as well as durable and will not tip over when players hang on the rim. For additional support, rear hold downs are included as required by the NCAA and NHSF for competition portable goals.

Choose the Hurricane Triumph-FL package for installations on floating floors or Hurricane Triumph-ST for all other flooring surfaces.

Floor load on the wheels is: 350 psi.

All Hurricane portable basketball goals are covered by First Team's unmatched Lifetime Superior Warranty!

**Includes all mounting hardware and installation instructions.**

**BALLAST NOT INCLUDED: This system requires a minimum 720-850 lbs of ballast. Recommend solid concrete blocks from local home improvement center. 24 - 4"x8"x16" blocks or like combination.**

FIRST TEAM SPORTS INC.  
HUTCHINSON, KS 67501

HURRICANE PORTABLE BASKETBALL GOAL  
PRODUCT SUBMITTAL

[www.InstitutionalBasketballSystems.com](http://www.InstitutionalBasketballSystems.com) | Tom Nicotera | 877.272.5430

